

## SUBJECT INDEX—VOLUME 8, 2004

---

- Acceptance, HPV vaccines, among parents of adolescents, 188
- Acetowhitening  
colposcopic, kinetic patterns of, with cervical pathology, 239(ab)  
measurements of, and adjunct to colposcopy to identify CIN 2, 3, 236(ab)
- Adenocarcinoma, primary, of vagina with mucinous-enteric differentiation, 38
- Adenocarcinoma in situ (ACIS)  
cervical, follow-up, 125  
cervical, LOOP for treatment of, 326(ab)
- Adhesion molecule  
in atypical squamous cells Pap smear results and HPV-positive high-grade dysplasia, 259(ab)  
distribution, altered, and false-negative Hybrid Capture test, 285
- Anal dysplasia, in HIV-infected women, 272
- Anogenital injuries, in adolescents after consensual sexual intercourse, 166(ab)
- ASCCP, 2004 distinguished scientific achievement award for Raymond H. Kaufman, 179
- Atypical glandular cells of undetermined significance (AGUS), in Israeli Jewish women, evaluation of, 324(ab)
- Atypical squamous cells of undetermined significance (ASCUS), cytological diagnosis of, colposcopic biopsy overuse, 82(ab)
- Bartholin gland cyst, past, present, and future, 195
- Book reviews  
Colposcopy Management Options, 155  
Colposcopy of the Cervix, Vagina, and Vulva: A Comprehensive Textbook, 86
- Cancer screening, preventive care, 1996–2000, 172(ab)
- Candida*  
*albicans*, changes in female genital tract, 21  
*glabrata*, changes in female genital tract, 21
- Candidiasis, changes in female genital tract, 21
- CD8+ T cell responses, to HPV type 16 antigens in women using imiquimod, 268(ab)
- C/EBP $\beta$  activity, and HPV-16 E6/E7 mRNA expression and imiquimod, 268(ab)
- Cervical acid phosphatase, MarkPap System for cervical cancer screening, 252(ab)
- Cervical cancer  
cytologic, screening, factors affecting quality of, along Mexico-United States border, 170(ab)  
development of, and HPV cofactors, 224  
family physicians' knowledge of risk factors, 82(ab)  
invasive, managing, at time of hysterectomy for benign indications, 91  
patient history for predicting in borderline cervical cytologic results, 207  
screening  
evaluation of liquid-based Pap test, 308  
human papillomavirus and cytology, 6  
liquid-based cervical cytology vs. histopathology from LEEP, 241(ab)  
primary care providers evaluation practices of AGC of undetermined significance and AGUS, 250(ab)  
screening guidelines, new, 87
- Cervical cytology  
examination, in Israeli Jewish women, AGUS evaluation, 324(ab)  
specimens, water vs. gel lubricants for, 83(ab)
- Cervical dysplasia, detection of, 245(ab)
- Cervical intraepithelial lesions, Pap smear and speculscopy detection, 165(ab)
- Cervical intraepithelial neoplasia (CIN)  
in adolescent, management of, 156  
altered adhesion molecule distribution and, false-negative hybrid capture test, 285  
biopsy site selection at time of colposcopy and, 236(ab)  
diagnosis of, pitfalls in, 181  
electrofulguration for low-grade squamous intraepithelial lesions, 10  
failed expectant management, prediction of, 235(ab)  
follow-up after treatment for, 304  
and high-risk HPV in HIV/ASCUS patients, 298  
Hybrid Capture II human papillomavirus test, in colposcopy referral population, 33  
Ki-67 labeling index and, 313  
screening strategies for, analysis of, 280  
treatment of, role of, in disappearance of HPV, 247(ab)  
vesicovaginal fistula in, case report, 205  
in vivo, optical detection of, 327(ab)
- Cervical neoplasia  
expression of epidermal growth factor receptor (EGFR) in, 292  
optical reflectance and fluorescence of, throughout menstrual cycle, 237(ab)
- Cervical samples, improving, from uterine cervix, 43
- Cervix  
direct visual inspection of, for detection of premalignant lesions, 16  
early adenocarcinoma of, angiogenesis and tumor vessel architecture in, 247(ab)  
neoplasms, eukaryotic translation initiation factor 5A, 234(ab)
- Chaperone use, by family physicians during Pap smear, 169(ab)

- Colposcopic biopsy, overuse, cytological diagnosis, atypical squamous cells of undetermined significance (ASCUS), 82(ab)
- Colposcopy
- adherence after, determination of, 251(ab)
  - biopsy site situation at time of, and distribution of CIN, 236(ab)
  - clinics in New York and London, cone biopsy for comparing, 106
  - and consistency with final histologic results, intraobserver variability of, 212
  - distress, in Latina population, 25
  - examinations, follow-up, Pap test and cervical neoplasia detection, 118
  - histologic sampling variability in ALTS, 253(ab)
  - and LEEP appointments in military clinics, 243(ab)
  - optical reflectance and fluorescence of normal cervical tissue during menstrual cycle, 237(ab)
  - quality control of digitized colposcopic images, 242(ab)
- Condoms
- use, regression of cervical intraepithelial neoplasia and HPV, trial, 166(ab)
  - use for receptive anal intercourse, and wart history and risk prediction for external anal warts, 237(ab)
- Conization
- for comparing colposcopy clinics in New York and London, 106
  - follow-up for cervical adenocarcinoma in situ, 125
  - HPV testing, follow-up patients with high-grade CIN, 327(ab)
- Cost-effectiveness analysis
- screening strategies for CIN, 280
  - of screening strategies for CIN, 257(ab)
- COX-2 expression, predicts recurrence of cervical dysplasia after LEEP, 267(ab)
- Criterion standard, for CIN 2, screening tests failing to detect small lesions secondary to using colposcopic-directed biopsy as, 256(ab)
- Cryotherapy, for low-grade squamous intraepithelial lesions of cervix (CIN 1), 10
- Cyclins, A and B, overexpression, as markers of neoplastic glandular lesions, 267(ab)
- Cytology
- annual Pap smear, reasons for, 238(ab)
  - cone biopsy to compare colposcopy clinics in New York and London, 106
  - HPV testing
    - cervical cancer screening, 6
    - follow-up, for post-cone biopsy, 169(ab)
  - patient history for predicting high-grade cervical dysplasia and cancer in, 207
  - samples of, improving, from uterine cervix, 43
  - screening interval, increased, reasons for annual Pap smear, 238(ab)
- Diagnosis, staging and therapy of vulvar melanoma, review of, 58
- Diagnostic gain, Pap test at follow-up colposcopy exams, cervical neoplasia detection, 118
- Diagnostic techniques, Hybrid Capture II human papillomavirus test, in colposcopy referral population, 33
- Dinh, Tung Van, in memoriam, 84
- Direct visual inspection (DVI)
- with acetic acid and magnification in screened population, 132
  - of cervix for premalignant lesions, 16
- Distress, colposcopy-associated, in Latina population, 25
- Domestic violence, and abnormal Pap smears in teen mothers, 112
- Dysplasia
- low-grade, cervical, diagnosis of, pitfalls in, 181
  - new cervical cancer screening curriculum for residency training, 234(ab)
- Electrofulguration, for low-grade squamous intraepithelial lesion of cervix (CIN 1), 10
- Endometrial carcinoma, glandular cells on cytologic exam in patients with, 253(ab)
- Enteric, mucinous—, differentiation, adenocarcinoma of vagina with, 38
- Epidermal growth factor receptor (EGFR), in cervical neoplasia, 292
- Erratum, extrauterine adenomyoma, after total abdominal hysterectomy and bilateral salpingo-oophorectomy, 271
- Evidence based
- guidelines for high-grade squamous intraepithelial lesion cytology, 139
  - screening and management guidelines of clinicians and pathologists, 150
- Expectant management, failed prediction, of CIN 1, 235(ab)
- Follow-up after treatment for CIN, clinical utility of HPV testing, 240(ab)
- Frozen section, evaluation, cervical cold knife cone specimens, diagnosis of microinvasive squamous cell carcinoma, 167(ab)
- Gel lubricants, vs. water for cervical cytology specimens, 83(ab)
- Genitourinary infections, during deployment, military women's risk factors and symptoms, 80(ab)
- Guidelines
- for high-grade squamous intraepithelial lesion cytology, 139
  - management, and evidence-based screening of clinicians and pathologists, 150
- High-grade squamous intraepithelial lesions (HSIL)
- guidelines for, 139
  - treatment of, 328(ab)

- Hispanic women, cervical cancer screening beliefs, 268(ab)
- Histopathology, Langerhans cell histiocytosis of vulva: case reports, 147
- HIV
- infected women
    - anal dysplasia in, 272
    - anal intraepithelial neoplasia in, 248(ab)
  - positive population, liquid-based gynecologic cytology on, 325(ab)
- Homelessness, abnormal Pap smears in teen mothers and, 112
- Home study course
- Fall 2004, 320
  - Spring 2004, 158
  - summer 2004, 261
  - Winter 2004, 73
- Human immunodeficiency virus (HIV), vulvar cancer in women infected with, 235(ab)
- Human papillomavirus (HPV)
- and abnormal Pap test results in Vietnamese-Americans, 217
  - in aging women, high-risk, 255(ab)
  - based assays, with Pap smears, in Morelos State, 81(ab)
  - cervical
    - detection of, by in situ hybridization in fetuses, 239(ab)
    - dysplasia at time of ASCUS cytologic result in HIV population, 249(ab)
  - cofactors, and development of cervical precancer and cancer, 224
  - detection rate factors for, 169(ab)
- DNA
- reflex testing for, of ASCUS interpretation, 256(ab)
  - testing, in predicting cervical intraepithelial lesions, 81(ab)
  - testing and atypical cells, 254(ab)
- false-negative Hybrid Capture test and altered adhesion molecule distribution with, 285
- high-risk types, testing positive, management of, HART study, 167(ab)
- in HIV/ASCUS patients, 298
- Hybrid Capture II, optimal cutoff of, in colposcopy referral population, 33
- infection(s)
- and cervical cancer precursor lesions, modeling time dependency of, 172(ab)
  - clearance of, in Columbian women, 83(ab)
- screening, cervical cytology of, triage of squamous cell abnormalities, 165(ab)
- in situ hybridization vs. hybrid capture II for, 258(ab)
- testing
- in cervical specimens in ThinPrep and SurePath Liquid Cytology Media, 259(ab)
  - and cytology, cervical cancer screening, 6
  - and cytology, follow-up, for post-cone biopsy, 169(ab)
  - in follow-up after treatment for CIN, 304
  - in follow-up patients after conization, 327(ab)
  - reducing follow-up visits for cervical intraepithelial neoplasia grade 3, 168(ab)
  - vaccines acceptance among parents of 10- to 15-year-olds, 188
  - vulvar cancer in women with HIV, 235(ab)
- Hysterectomy
- follow-up for cervical adenocarcinoma in situ, 125
  - simple, invasive cervical cancer management, 91
- iatrogenic vaginal constriction, management of, 171(ab)
- International Federation for Cervical Pathology and Colposcopy (IFCPC), 3
- Kaufman, Raymond H., ASCCP 2004 distinguished scientific achievement award, 179
- Ki-67 labeling index, and CIN I, 313
- Kinetic patterns, acetowhitening quantitative measurements and colposcopy to identify CIN 2, 3, 236(ab)
- Langerhans cell histiocytosis, of vulva: two case reports, 147
- Latina, population, colposcopy-associated distress, PEAPS-Q in, 25
- Lesbian women, under usefulness of gynecological cancer screening, 269(ab)
- Lesions
- in contact and surgical limits and inverse cervicospoty, 244(ab)
  - premaligancy, detection of, direct visual inspection of cervix, 16
- Liquid-based cytology
- analysis, results of, 244(ab)
  - gynecologic, on HIV-positive population, 325(ab)
  - manual and automated methods of, comparison, 325(ab)
  - for postirradiation surveillance, 168(ab)
- Liquid-based Pap test, evaluation of, 308
- Loop electrosurgical excision procedure (LEEP)
- for cervical ACIS, with negative margins, 326(ab)
  - vesicovaginal fistula from, in CIN, case report, 205
- Mass screening, follow-up for women with ASCUS or LSIL in national breast and cervical cancer early detection program, 241(ab)
- Methylation, global DNA, in exfoliated cells of cervix for cervical dysplasia, 246(ab)
- MMP-2, in vulvar neoplasms, comparative study, 326(ab)
- Modelling, services in UK, 248(ab)
- Mucinous, -enteric differentiation, adenocarcinoma of vagina with, 38
- Occult cervical carcinoma, detected posthysterectomy, radical parametrectomy for, 102
- Optical detection
- of cervical neoplasia, 249(ab)

- of high-grade CIN in vivo, 327(ab)  
 Outpatient LLETZ procedures, complications of, 324(ab)
- p16  
 methylation, aberrant, as biomarker for tobacco exposure in cervical squamous cell carcinogenesis, 267(ab)  
 as molecular biomarker of cervical adenocarcinoma, 266(ab)
- Pap smear(s)  
 abnormal, in teen mothers with domestic violence, homelessness, and chlamydia, 112  
 among Korean-American women, predictors of, 173(ab)  
 cervical cancer screening curriculum for residency training in obstetrics and gynecology, 234(ab)  
 from uterine cervix, improving, 43
- Pap test, at follow-up colposcopy examinations, cervical neoplasia detection, 118
- Patterns of recurrence and outcome, in stage I/II vulvar cancer patients, 250(ab)
- Postirradiation surveillance, liquid-based cytology for, and gynecologic malignancies, 168(ab)
- Pregnancy, in teens, abnormal Pap smears, 112
- Premalignancy, lesions, detection of, direct visual inspection of cervix, 16
- Premenarchal vaginal discharge, findings of procedures ruling out foreign bodies, 265(ab)
- Presidential Address, 1, 175, 177
- Psychosocial Effects of Abnormal Pap Smear-Questionnaire (PEAPS-Q), in Latinas, colposcopy-associated, 25
- Quality control, of cytologic samples, improving, 43
- Radical parametrectomy invasive cervical cancer, for posthysterectomy, 102
- Refractory perineal and pelvic pain, with ganglion of impar injections, management of, 244(ab)
- Relapse, high-grade dysplasia, resection margins in conization for, 326(ab)
- Resection margins, in conization for relapse in high-grade dysplasia, 326(ab)
- Roche linear array human papillomavirus test, improved performance, 245(ab)
- Screening  
 direct visual inspection with acetic acid and magnification in, 132  
 evidence-based, and management, of clinicians and pathologists, 150  
 rarely screened women, 172(ab)
- See-and-treat, evaluation in HSIL, 257(ab)
- Sexually transmitted disease, in women, female vs. male condom in preventing, 80(ab)
- Sexually transmitted infections, with vulvovaginal symptoms in adolescents, 265(ab)
- Shared decision making, atypical squamous cells of undetermined significance Pap smear test results, 238(ab)
- Smoking, and multifocal VIN, 251(ab)
- Society news, American Society for Colposcopy and Cervical Pathology, 163, 329
- SpiraBrush Cx, transepithelial sampling with, 276
- Staging, diagnosis, and therapy review of vulvar melanoma, 58
- Teenage, mothers, abnormal Pap smears in, 112
- Telecolposcopy, telemedicine network, vs. computer-based, 94
- Telemedicine, network and computer-based telecolposcopy, 94
- Telomerase, activity for triage of abnormal Pap smear results, 252(ab)
- Thalidomide, in refractory vulvar ulcerations with Crohn's disease, 264(ab)
- Therapy, diagnosis, and staging review, vulvar melanoma, 58
- Transepithelial sampling, with stiff-bristled, spiral-shaped brush, 276
- Tumor-associated differentially expressed gene-14 (TADG-14), highly overexpressed in cervical cancer, 266(ab)
- Vaccines, HPV, acceptance among parents of 10- to 15-year-olds, 188
- Vagina  
 adenocarcinoma of, with mucinous-enteric differentiation, 38  
 vestibule, 71
- Vaginal intraepithelial neoplasia  
 high-grade, report, 255(ab)  
 (primarily low grade) treatment with imiquimod 5% cream, 243(ab)
- Vaginal radical trachelectomy, in treatment of cervical cancer, role of frozen section, 269(ab)
- Variability, of colposcopic interpretation and consistency with final histologic results, 212
- Vesicovaginal fistula, in intraepithelial neoplasia of cervix and vagina, case report, 205
- Vestibule, vaginal, 71
- Vestibulitis  
 vaginal, 71  
 at vulvar vestibule: web-based survey, 48  
 and vulvodynia, in vulvar clinic, 242(ab)
- Vietnamese-Americans, HPV and abnormal Pap test results, 217
- Visual inspection with acetic acid and magnification (VIAM), in previously screened population, 132
- Vulva, Langerhans cell histiocytosis of: case reports, 147
- Vulvar dysesthesia, vs. vestibulodynia, 264(ab)
- Vulvar dysplasia, and cervical dysplasia, HIV-infected women with, anal dysplasia in, 272

Vulvar intraepithelial neoplasia (VIN), immunohistochemical analysis of P16ink4a cyclin-dependent kinase inhibitor, 240(ab)

Vulvar mass, Bartholin gland cyst, 195

Vulvar melanoma, diagnosis, staging, and therapy review, 58

Vulvar neoplasms, MMP-2 in, comparative study of, 326(ab)

Vulvar pain, at vestibule: web-based survey, 48

Vulvar squamous cell carcinoma, ABO blood groups in, 254(ab)

Vulvodynia

new concepts, 170(ab)

review of, 171(ab)

at vulvar vestibule: web-based survey, 48

Warts

external anal, receptive anal intercourse, condom use, and history, prediction of risk for, 237(ab)

genital and perianal: new treatment for HPV infection, 170(ab)

Water, vs. gel lubricants for cervical cytology specimens, 83(ab)